1 47501/VGG/C614

HYBRID TEA ROSE PLANT NAMED 'BRONZE SUNSET'

5 CLASSIFICATION

The present invention relates to a new Rosaceae plant.

VARIETY DENOMINATION

The new plant has the varietal denomination 'BRONZE SUNSET'.

10

15

2.0

25

BACKGROUND OF THE INVENTION

The present invention relates to a new and distinct variety of rose plant of the hybrid tea rose of the genus *Rosaceae* which was created by crossing as seed and pollen parents two (2) unknown rose varieties. The varietal denomination of the new variety is 'BRONZE SUNSET'.

SUMMARY OF THE INVENTION

Among the novel characteristics possessed by this new variety which distinguishes it from other varieties of which I am aware, is its orange flowers.

Asexual reproduction by propagation by budding of the new variety as performed in Wasco, California shows that the foregoing and other distinguishing characteristics come true to form and are established and transmitted through succeeding propagations.

30

1 47501/VGG/C614

BRIEF DESCRIPTION OF ILLUSTRATION

The accompanying illustration shows typical specimens of the flowers and foliage of the new variety depicted in color as nearly true as it is reasonably possible to make the same in a color illustration of this character.

10

15

20

25

30

1 47501/VGG/C614

5

10

DESCRIPTION OF THE NEW VARIETY

The following is a detailed description of 2-year budded plants of the new variety, with color terminology in accordance with *The Royal Horticultural Society Colour Chart* (RHSCC). The terminology used in color description herein refers to plate numbers in the aforementioned color chart. Phenotypic expression may vary with light availability, environmental and cultural conditions.

The following observations are made of specimens grown outdoors in Wasco, California, during November budded on 'DR. HUEY understock.

PLANT

	1 21 4 (1	
15	Form:	Spreading
	Growth:	Vigorous; sprawling
	Size:	Height about 52 inches; width about 48 inches
20	Foliage	
	Size:	Terminal leaflet length about 2 1/2 inches; width about 1 9/16 inches
25	Quantity:	Usually 5 compound leaflet leaves, occasionally compound 7 leaflet leaves
	Color	
30	New foliage:	Upper side near 137B; under side near 148A
50	Mature foliage:	Upper side near 139A; under side near 137B
	Texture	
	Upper side:	Smooth, semi-glossy
35	Under side:	Matte

1 47501/VGG/C614

Edge:

•

Petioles: Top surface color near 138C; 5 Under side near 138C Medium length Stipules: Auricle: Light red brown near 59C fading to green near 137B Rachis: Few prickles 10 MOOD New shoots Bark: Smooth Near 59C Wood: 15 Old wood Bark: Lots of prickles Wood: Near 137D Flowering stem: Length about 18 inches 20 Winter Hardiness: Completely winter hardy Preferred growing Likes full sun conditions: Growth habit: Vigorous Leaves per stem: About 5 25

Serrated

30 FLOWER, INFLORESCENCE

Blooming Habit:

Form:

Prickles/Thorns:

Bud

Recurrent

About 1 1/4 inches long,

long, color near 149B

tip, base near 59A

Mature thorns about 1/8 inch

slightly tipped with red at

1 1/2 inches wide

Triangular

1	47501/VGG/C614	·
5	Color:	Before sepals divide color near 169A; when sepals first divide color near 170B; when petals begin to unfurl color near 41A
	Sepals	
10	Size:	Length in relation to bud, about 1 1/4 inches in length, 1/4 inch wide, small extensions, usually 5 sepals per bloom
15	Color	Topside near 164B; bottom near 137C
	Peduncle	
20	Length:	About 2 1/2 inches, smooth, slight anthocyanin in coloration, color near 57B
	Strength:	Strong
	Color:	Near 148C
	Flower	
25	Size:	About 4 1/4 inches
	Borne:	Single
	Form:	Relative good form; high centered; unfurls to loose ruffled at maturity
30	Petalage:	About 25
	Petaloids in center:	None
	Persistence:	Petals do not drop
	Fragrance:	Slight

1 47501/VGG/C614

During first 2 days: During first 2 days: Inner petals at flower cente topside near 41A; bottom nea 19A; outer petals topside near 43A, bottom near 16C Base of petals (Point of attachment): General tonality from a distance: Bronze Color Change: Slightly darkens; remains th same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to narrow bottom, petals
topside near 41A; bottom near 19A; outer petals topside near 43A, bottom near 16C Base of petals (Point of attachment): Near 17B General tonality from a distance: Bronze Color Change: Slightly darkens; remains the same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
(Point of attachment): Near 17B General tonality from a distance: Bronze 15 Color Change: Slightly darkens; remains the same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
General tonality from a distance: Bronze Color Change: Slightly darkens; remains th same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
distance: Color Change: Slightly darkens; remains the same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
15 Color Change: Slightly darkens; remains the same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
same after 3 or more days Petals Texture: Thick / rigid Shape: Wide at top, tapered to
Texture: Thick / rigid Shape: Wide at top, tapered to
Shape: Wide at top, tapered to
20
reflexed to a point
Arrangement: Loose around pistils
Appearance: Satiny
25 REPRODUCTIVE ORGANS
Arrangement of stamens, Near 163B; regularly arrangements and Anthers: around styles, about 100 anthers and filaments
Color: Filaments near 162C; Anthers near 161C
Pollen: Near 168A
Styles: Bunched, uneven length

1 47501/VGG/C614

Hips/Seed Vessels/Ovaries

Shape: Oval 5

Size: About 1/2 inch

Color: Near 143B

Seeds: No seeds

10

15

20

25

30